

One-Piece Mount 30mm, H15mm, lever

Versatile Compatibility: Ideal for both bolt-action rifles and AR-10 platforms.

Secure Mounting: Features adjustable steel QD (Quick Detach) safety levers compatible with all Picatinny and Weaver rails, including non-standard configurations.



Modular Design: Equipped with the ERATAC UNIVERSAL interface to easily accept add-ons like the Angle Cosine Indicator (SWK).

Battle-Proven Durability: Guaranteed 100% return-to-zero and recoil-proof performance, tested up to .50 BMG.

Premium Construction: CNC-machined entirely from high-strength aluminum alloy and finished with a robust Mil-Spec Type III hardcoat anodization.

Please Note: Firearms and accessories shown in product images are for illustrative purposes only and are not included. Due to the wide variety of product configurations, images may vary slightly in proportion from the exact model described.

Attributes

- Name: ERATAC One-Piece Mount 30mm, H15mm, lever
- Manufacturer: ERATAC
- Product no.: EU2017905
- Mfr. No.: T4013-0015
- Colour: Black
- Delivery weight: 0.264kg
- Shipping height: 58mm
- Shipping width: 85mm
- Shipping length: 200mm
- EAN/UPC: T4013-0015

Table of Contents

- [Startpage](#)
- [English: ERATAC OnePiece Mount Safety Instruction Guide](#)

ERATAC OnePiece Mount Safety Instruction Guide

Introduction

Thank you for choosing the ERATAC OnePiece Mount. This guide provides important safety instructions and information to ensure the safe use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your firearm and accessories.
- Always follow the manufacturer's instructions for installation and use.
- Regularly inspect the mount for any signs of wear or damage.
- Ensure that all components are securely fastened before use.
- Do not exceed the recommended weight limits for accessories mounted on the mount.
- Keep the mount and its accessories out of reach of children and unauthorized users.
- Use only with firearms that are in good working condition.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- When using the mount with a firearm, ensure that the firearm is unloaded until ready to use.
- Always wear appropriate safety gear, including eye protection, when using firearms.
- Avoid using the mount in adverse weather conditions that may affect visibility or safety.
- Do not modify the mount or use it in ways not intended by the manufacturer.
- Be aware of your surroundings and ensure a clear shooting area when using the mounted firearm.

Instructions for Installation and Usage

1. Compatibility Check

- Confirm that the ERATAC OnePiece Mount is suitable for your firearm type (boltaction rifles and AR10 platforms).

2. Installation

- Ensure the firearm is unloaded.
- Align the mount with the Picatinny or Weaver rail on your firearm.
- Secure the mount using the adjustable steel QD safety levers.
- Ensure that the mount is tightly fastened and does not move.

3. Usage

- After installation, check the mount's stability before each use.
- Attach any additional accessories (e.g., Angle Cosine Indicator) using the ERATAC UNIVERSAL interface as needed.
- Always verify that all components are securely attached before firing.

4. PostUse Inspection

- After each use, inspect the mount for any signs of damage or wear.
- Clean the mount according to the manufacturer's recommendations to maintain performance.

Disposal Instructions

- Dispose of the mount and any related packaging materials in accordance with local regulations.
- Do not dispose of in regular household waste. Check for recycling options or designated disposal locations for metal products.

Contact Information for Further Support

For safety inquiries, product support, or to report unsafe products, please contact your local EUbased contact point. Ensure you have the product details available for reference.

Thank you for ensuring the safe use of the ERATAC OnePiece Mount. Your safety is our priority.