

Trigger, Single Stage, straight

ERATAC Trigger for AR Platforms

True drop-in trigger, no disassembly of the firearm or the trigger required

Crisp single-stage trigger (Direct trigger)

Very short reset

Easy switching between >1000g and >1500g pull weight in two defined settings

Available with either a curved or straight trigger shoe

Adjustment of the pull weight and installation of the trigger with only one tool (included in delivery)

Safety cannot be engaged when uncocked. This makes the loaded state of the firearm recognizable

90°/45° safety selector shaft optionally available

Installation possible in all common AR platforms (.22lr, 9mm, 7.62mm, 5.56mm, H&K, Haenel, OA, Hera, Tippmann, Stag, etc.)

Delivered in a high-quality, reusable Cordura pouch



Attributes

- Name: ERATAC Trigger, Single Stage, straight
- Manufacturer: ERATAC
- Product no.: EU2017963
- Mfr. No.: T0560-0102
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0560-0102

Table of Contents

- [Startpage](#)
- [English: ERATAC Trigger Safety Instructions](#)

ERATAC Trigger Safety Instructions

Introduction

Thank you for choosing the ERATAC Trigger for AR Platforms. This document provides essential safety instructions and guidelines to ensure the safe use and handling of your trigger. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it is not.
- Ensure that the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Verify the trigger's safety features before use.
- Store the trigger and firearm securely and out of reach of children.
- Regularly inspect the trigger and firearm for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm ownership and use.

Specific Safety Precautions for Use

- The safety cannot be engaged when the trigger is uncocked. This feature makes it easy to recognize when the firearm is in a loaded state.
- Use the trigger only with compatible AR platforms (.22lr, 9mm, 7.62mm, 5.56mm, H&K, Haenel, OA, Hera, Tippmann, Stag, etc.).
- Adjust the pull weight only using the included tool to ensure proper installation and function.
- It is essential to switch between the >1000g and >1500g pull weight settings according to your preference and comfort.
- Never attempt to modify the trigger or firearm beyond the manufacturer's specifications.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Use the included tool to install the trigger. Follow the manufacturer's instructions for proper installation.
- Verify that the trigger is securely installed before using the firearm.

2. Usage:

- Familiarize yourself with the trigger's operation before using it in a live setting.
- Practice with the trigger in a controlled environment to understand its response and reset features.
- Always check the trigger's functionality after installation and before use.

Disposal Instructions

- Dispose of the trigger in accordance with local regulations for electronic and firearm components.
- Do not dispose of the trigger in regular household waste.
- If you need assistance with disposal, consult your local waste management authority for guidance.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please reach out to your local ERATAC

representative or authorized dealer.

By following these guidelines and instructions, you can ensure the safe and effective use of your ERATAC Trigger. Thank you for prioritizing safety in your firearm practices.