

ERATAC-Bridge Mount for Pulsar NV, Lg. 192 mm

Premium Construction: CNC-machined from a single block of solid, high-strength aircraft-grade aluminum.



Tactical Finish: Features a non-reflective, matte black hard-anodized coating for superior wear and corrosion resistance.

Dimensions: Overall length of 219 mm with a low-profile base height (BH) of 10 mm.

Locking Options: Available with your choice of standard hex nuts or quick-detach (QD) safety levers.

Attributes

- Name: ERATAC-Bridge Mount for Pulsar NV, Lg. 192 mm
- Manufacturer: ERATAC
- Product no.: EU2017986
- Mfr. No.: T5170-0010
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T5170-0010

Table of Contents

- [Startpage](#)
- [English: ERATACBridge Mount for Pulsar NV Safety Instruction Guide](#)

ERATACBridge Mount for Pulsar NV Safety Instruction Guide

Introduction

Thank you for choosing the ERATACBridge Mount for Pulsar NV. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

General Safety Guidelines

To ensure your safety and the proper functioning of the ERATACBridge Mount, please observe the following guidelines:

- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the mount for any signs of wear or damage.
- Ensure that the mount is securely attached before using your device.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

When using the ERATACBridge Mount, please keep the following precautions in mind:

- **Avoid Overloading:** Do not exceed the weight limit specified by the manufacturer.
- **Secure Fit:** Ensure that the mount is tightly secured to prevent any movement or detachment during use.
- **Environmental Considerations:** Avoid using the mount in extreme weather conditions that could affect its performance.
- **Inspect Before Use:** Always check that all components are intact and functioning properly before attaching your device.
- **Proper Handling:** Handle the mount with care to avoid any injuries or damage.

Instructions for Installation and Usage

Follow these steps for the proper installation and usage of the ERATACBridge Mount:

1. Preparation:

- Gather all necessary tools for installation, including the provided hex nuts or quickdetach (QD) safety levers.
- Ensure that the mounting surface is clean and free of debris.

2. Installation:

- Align the mount with the designated mounting points on your device.
- Secure the mount using the provided hex nuts or QD safety levers. Ensure that they are tightened appropriately.
- Check that the mount is stable and does not wobble.

3. Usage:

- Once installed, confirm that the mount is securely attached before using your device.

- Regularly check the mount during use to ensure it remains secure.

4. PostUse Care:

- After use, clean the mount with a soft cloth to remove any dirt or debris.
- Store the mount in a dry, safe place when not in use.

Disposal Instructions

Proper disposal of the ERATACBridge Mount is essential for environmental protection. Follow these guidelines for disposal:

- Do not dispose of the mount with regular household waste.
- Check local regulations for electronic waste disposal.
- If the product is damaged beyond repair, consider recycling the materials where possible.

Contact Information for Further Support

For any inquiries related to safety or product support, please contact the manufacturer directly. Ensure you have the model number and any relevant details ready for assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy your experience with the ERATACBridge Mount for Pulsar NV!