

Backup Sights - Folding Front Sight HK-Style 1,8mm / front sight

Same-Plane Dual Aperture: Features two integrated ghost rings (5 mm and 1.7 mm) calibrated to sit on the exact same focal plane, allowing for rapid transitions between close-quarters and long-range targeting.



Spring-Loaded Drop Protection: Equipped with a rugged, spring-loaded flip-up mechanism that deflects impacts, preventing damage to the sight housing under heavy field use.

Ultra-Low Profile: A sleek, minimalist design that collapses down to an exceptionally low profile of just 9 mm when folded, keeping it completely clear of primary optics.

Standard AR-15 Alignment: Matches the exact optical center height of standard factory AR-15 iron sights for an intuitive cheek weld.

Tool-less Adjustments and Modular Posts: Supports interchangeable front sight posts and allows for continuous, precise elevation adjustments without requiring specialized tools.

Maritime-Grade Protection: Treated with a specialized technical coating that renders all components 100% rustproof, even when subjected to harsh saltwater environments.

HK-Style Design: Styled with a classic, hooded HK-style folding front sight for fast target centering.

Balanced Sight Picture: Features a 1.8 mm (0.07") front sight post width, delivering the perfect balance between rapid target acquisition and precision at distance.

Attributes

- Name: Folding Front Sight HK-Style 1,8mm / front sight
- Manufacturer: ERATAC
- Product no.: EU2018005
- Mfr. No.: T0542-2355
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0542-2355

Table of Contents

- [Startpage](#)
- [English: Backup Sights Folding Front Sight HKStyle 1.8mm Safety Instruction Guide](#)

Backup Sights Folding Front Sight HKStyle 1.8mm Safety Instruction Guide

Introduction

Thank you for choosing the Backup Sights Folding Front Sight HKStyle 1.8mm. This guide provides important safety instructions and information to ensure the correct and safe use of your product. Please read this guide thoroughly before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the sight with care to avoid damage.
- Regularly inspect the sight for wear and tear and ensure it is functioning correctly before use.
- Store the sight in a dry and secure place when not in use.
- Be aware of your surroundings when using the sight to prevent accidents.
- Follow all local laws and regulations regarding the use of firearm accessories.

Specific Safety Precautions for Use

- **Risk of Eye Injury:** Always ensure that the sight is securely mounted before use to avoid potential eye injuries.
- **Impact Protection:** The sight is designed with a springloaded drop protection mechanism. Ensure it is functioning correctly to prevent damage during use.
- **Children Safety:** Keep the sight out of reach of children and ensure that it is used only by individuals who are knowledgeable about firearm safety.
- **Environmental Conditions:** Avoid using the sight in extreme weather conditions that may impair visibility or functionality.

Instructions for Installation and Usage

Installation

1. Prepare the Firearm:

- Ensure the firearm is unloaded and pointed in a safe direction.

2. Mounting the Sight:

- Align the sight with the existing mounting system on your firearm.
- Securely attach the sight using the provided mounting hardware.
- Ensure that the sight is stable and does not move when secured.

3. Adjustments:

- Use the toolless adjustment feature to set the elevation as needed.
- Verify that the sight is properly aligned with the optical center height of standard factory AR15 iron sights.

Usage

1. Adjusting the Sight:

- Utilize the interchangeable front sight posts for desired precision.
- Make continuous adjustments as needed without the requirement of specialized tools.

2. Target Acquisition:

- Use the dual aperture feature to switch between the integrated ghost rings for rapid target acquisition.
- Practice transitioning between closequarters and longrange targeting to become proficient.

3. Maintenance:

- Regularly clean the sight with a soft, dry cloth to remove dirt and debris.
- Check the springloaded mechanism to ensure it operates smoothly.

Disposal Instructions

- Dispose of the sight in accordance with local regulations regarding electronic and metal waste.
- If the sight is damaged beyond repair, ensure that it is disposed of in a manner that prevents any risk of injury to others.

Contact Information for Further Support

For any questions or concerns regarding the Backup Sights Folding Front Sight HKStyle 1.8mm, please refer to the manufacturer's website or customer service for assistance. Make sure to have your product information ready for a more efficient response.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy using your Backup Sights Folding Front Sight HKStyle 1.8mm responsibly.