

Picatinny Adapters for Laser Rangefinders - Picatinny Attachment BH14 for Laser Rangefinder

Billet Aluminum Construction: CNC-machined from a single solid block of high-strength aircraft-grade aluminum, ensuring maximum structural rigidity and flawless return-to-zero performance.



Mil-Spec Surface Finish: Treated with a premium, non-reflective Mil-Spec Type III hardcoat anodization for superior scratch, wear, and corrosion resistance under the harshest field conditions.

Precision Dimensions: Features a usable Picatinny rail length of 91.5 mm within a compact overall footprint of 105.5 mm.

Custom Clearance Options: Available in 3 different base heights (BH) to perfectly match your specific optic alignment, cheek weld, or accessory clearance requirements.

Attributes

- Name: Picatinny Attachment BH14 for Laser Rangefinder
- Manufacturer: ERATAC
- Product no.: EU2018046
- Mfr. No.: T0910-0014
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0910-0014

Table of Contents

- [Startpage](#)
- [English: Picatinny Adapters for Laser Rangefinders Safety Instructions](#)

Picatinny Adapters for Laser Rangefinders Safety Instructions

Introduction

Thank you for choosing the Picatinny Adapters for Laser Rangefinders. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Always inspect the adapter before each use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- Do not modify or alter the product in any way, as this may compromise safety and performance.
- In case of any accidents or injuries, report them to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- **Installation Safety:** Always follow the installation instructions carefully to avoid accidents.
- **Weight Limit:** Ensure that the total weight of the mounted equipment does not exceed the recommended limits for the Picatinny rail.
- **Environmental Conditions:** Avoid using the adapter in extreme weather conditions that may affect its performance.
- **Protective Gear:** When using the rangefinder, consider wearing appropriate protective gear, such as eye protection.
- **Secure Mounting:** Ensure that the adapter is securely mounted to prevent it from loosening during use.

Instructions for Installation and Usage

1. Installation:

- Choose a suitable Picatinny rail on your firearm for mounting the adapter.
- Clean the rail to remove any dirt or debris.
- Align the adapter with the rail and slide it into place.
- Secure the adapter using the provided screws and tools. Ensure that it is tightened properly.
- Check the alignment of the laser rangefinder once mounted.

2. Usage:

- Before using the laser rangefinder, ensure that it is properly attached to the adapter.
- Familiarize yourself with the operation of the laser rangefinder as per the manufacturer's instructions.
- Always aim the laser away from people and reflective surfaces to avoid accidents.
- After use, remove the laser rangefinder and store it safely.

Disposal Instructions

- Dispose of the Picatinny adapter according to local regulations for electronic waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum material if possible.

Contact Information for Further Support

For any questions or concerns regarding the Picatinny Adapters for Laser Rangefinders, please refer to the manufacturer's customer support resources. Ensure you have the product details ready when seeking assistance.

By following these guidelines, you can ensure the safe and effective use of your Picatinny Adapters for Laser Rangefinders. Thank you for prioritizing safety.