

Picatinny Adapters for Laser Rangefinders - Picatinny Attachment BH25 for Laser Rangefinder

Billet Aluminum Construction: CNC-machined from a single solid block of high-strength aircraft-grade aluminum, ensuring maximum structural rigidity and flawless return-to-zero performance.



Mil-Spec Surface Finish: Treated with a premium, non-reflective Mil-Spec Type III hardcoat anodization for superior scratch, wear, and corrosion resistance under the harshest field conditions.

Precision Dimensions: Features a usable Picatinny rail length of 91.5 mm within a compact overall footprint of 105.5 mm.

Custom Clearance Options: Available in 3 different base heights (BH) to perfectly match your specific optic alignment, cheek weld, or accessory clearance requirements.

Attributes

- Name: Picatinny Attachment BH25 for Laser Rangefinder
- Manufacturer: ERATAC
- Product no.: EU2018047
- Mfr. No.: T0910-0025
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0910-0025

Table of Contents

- [Startpage](#)
- [English: Picatinny Adapters for Laser Rangefinders Safety Instruction Guide](#)

Picatinny Adapters for Laser Rangefinders Safety Instruction Guide

Introduction

Thank you for choosing the Picatinny Adapters for Laser Rangefinders. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure the product is suitable for your specific laser rangefinder and intended use.
- Always inspect the adapter for any signs of damage or wear before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product issues or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- **Use in Appropriate Conditions:** Avoid using the adapter in extreme weather conditions that may compromise its integrity.
- **Check Compatibility:** Ensure that the Picatinny Adapter is compatible with your laser rangefinder and any other accessories.
- **Secure Attachment:** Verify that the adapter is securely attached to the rail before use to prevent accidental detachment.
- **Avoid Overtightening:** Do not overtighten screws or fittings, as this may damage the adapter or the mounting surface.
- **Proper Handling:** Handle the adapter with care to avoid dropping or damaging it during transport or installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a screwdriver and any other required equipment.
- Ensure the installation area is clean and free from debris.

2. Installation Steps:

- Locate the Picatinny rail on your laser rangefinder.
- Align the adapter with the rail, ensuring the mounting points match.
- Gently slide the adapter onto the rail until it is fully seated.
- Secure the adapter by tightening the screws using the appropriate tool. Ensure it is snug but do not overtighten.

3. Usage:

- Once installed, check the alignment of your laser rangefinder to ensure proper function.
- Test the setup in a safe environment before using it in the field.
- Regularly check the adapter during use to confirm it remains securely attached and functional.

Disposal Instructions

- Dispose of the Picatinny Adapter in accordance with local regulations for electronic and metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options to minimize environmental impact.

Contact Information for Further Support

For further assistance or inquiries regarding safety and usage of the Picatinny Adapters for Laser Rangefinders, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for following these safety instructions. Your cooperation helps ensure a safe and effective experience with your Picatinny Adapter.