

T7 System - T7 Mount for Laser Rangefinder H25

The ERATAC T7 Wilcox Picatinny Mount is a heavy-duty solution designed for the secure attachment of compatible accessories onto ERATAC T7 series interfaces. Engineered for high-stress environments, its robust construction ensures dependable, repeatable mounting and precise alignment.



To ensure optimal integration with your weapon system, optics, and accessories, the mount is available in two distinct heights. Typical applications include the installation of laser/light modules, IR pointers, red dot sights, laser rangefinders, and any other Picatinny-compatible equipment. Choosing the appropriate height allows for perfect alignment with your line of sight, creating an ergonomic and highly reliable configuration.

Attributes

- Name: T7 Mount for Laser Rangefinder H25
- Manufacturer: ERATAC
- Product no.: EU2018069
- Mfr. No.: T0910-1025
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0910-1025

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for the T7 System T7 Mount for Laser Rangefinder H25](#)

Safety Instruction Guide for the T7 System T7 Mount for Laser Rangefinder H25

Introduction

Thank you for choosing the ERATAC T7 Wilcox Picatinny Mount. This guide provides important safety information, installation instructions, and usage guidelines to ensure the safe and effective use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Always ensure that the mount is compatible with your weapon system and accessories before installation.
- Regularly inspect the mount for any signs of wear or damage. If any issues are found, discontinue use immediately.
- Keep the mount and all accessories out of reach of children and vulnerable individuals.
- Use the mount only for its intended purpose as specified in this guide.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the mount is securely attached to the Picatinny rail before use to prevent accidental detachment.
- Avoid using the mount in extreme conditions that exceed its specified limits, as this may compromise its integrity.
- Follow the manufacturer's recommendations for compatible accessories to avoid potential hazards.
- Be aware of your surroundings while using the mounted accessories to ensure safety for yourself and others.

Instructions for Installation and Usage

Installation

1. **Preparation:** Gather all necessary tools and ensure that your weapon system is unloaded and pointed in a safe direction.
2. **Select Height:** Choose the appropriate height for the mount based on your line of sight requirements.
3. **Positioning:** Align the mount with the Picatinny rail on your weapon system.
4. **Secure Attachment:** Use the provided screws to secure the mount. Ensure that it is tightened adequately but do not overtighten to avoid damaging the mount or rail.
5. **Check Alignment:** Verify that the mount is aligned correctly before attaching any accessories.

Usage

- After installation, carefully attach your laser rangefinder or other compatible accessories to the mount.
- Ensure that all accessories are securely fastened before use.
- Regularly check the mount and accessories for any signs of loosening or wear during use.

Disposal Instructions

- Dispose of the mount and any packaging materials in accordance with local regulations.
- Do not dispose of electronic components in regular waste. Follow local guidelines for electronic waste disposal.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the appropriate local authorities or your point of purchase.