

Ammo Checker 10 Rnd with Quick Transfer Cover and OAL Checker - Handgun Depriming Pin for Dillon Dies - 21528 | 10X Pack

Keep your Dillon Precision reloading press cycling with the crisp, smooth action it had on day one. This high-grade spare part is precision-engineered to mirror original factory specifications, guaranteeing a seamless, drop-in fit and the rock-solid reliability you expect at the bench.



Attributes

- Name: Handgun Depriming Pin for Dillon Dies - 21528 | 10X Pack
- Manufacturer: ARMANOV
- Product no.: EU2018360
- Mfr. No.: HANDEPPIN2X
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Ammo Checker 10 Rnd with Quick Transfer Cover and OAL Checker Handgun Depriming Pin for Dillon Dies 21528 | 10X Pack](#)

Safety Instruction Guide for Ammo Checker 10 Rnd with Quick Transfer Cover and OAL Checker Handgun Depriming Pin for Dillon Dies 21528 | 10X Pack

Introduction

Thank you for purchasing the Ammo Checker 10 Rnd with Quick Transfer Cover and OAL Checker Handgun Depriming Pin for Dillon Dies. This product is designed to ensure the smooth operation of your Dillon Precision reloading press. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use protective eyewear when operating the reloading press.
- Ensure that your working area is clean and welllit to prevent accidents.
- Do not exceed the recommended limits for the reloading press or the Ammo Checker.
- Avoid using the product if you are under the influence of drugs or alcohol.
- Always store the product in a safe and secure location when not in use.
- Follow all local laws and regulations regarding ammunition reloading and handling.

Instructions for Installation and Usage

Installation

1. **Unpack the Product:** Carefully remove the Ammo Checker from its packaging.
2. **Inspect the Product:** Check for any visible damage or defects.
3. **Install the Depriming Pin:**
 - Locate the depripping pin on the Ammo Checker.
 - Align the pin with the designated slot on your Dillon press.
 - Firmly press the pin into place until it is securely fastened.
4. **Attach the Quick Transfer Cover:**
 - Position the cover over the Ammo Checker.
 - Ensure that it fits snugly and securely.

Usage

1. **Setup:** Ensure that your Dillon reloading press is properly set up according to the manufacturer's guidelines.
2. **Loading:** Place the necessary ammunition components into the Ammo Checker.
3. **Operation:**
 - Engage the reloading press as per the standard operating procedures.
 - Monitor the operation closely for any irregularities.

4. **PostUse:** After use, clean the Ammo Checker to maintain its functionality and longevity.

Disposal Instructions

- Dispose of the product in accordance with local waste management regulations.
- Do not throw the product in regular household waste.
- If the product is damaged or no longer usable, consider recycling it if possible.

Contact Information for Further Support

For any inquiries or concerns regarding the product, please reach out to the designated EU contact point for safety inquiries. Ensure that you have the product details and any relevant information ready for a swift response.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Ammo Checker 10 Rnd with Quick Transfer Cover and OAL Checker Handgun Depriming Pin for Dillon Dies. Thank you for prioritizing safety in your reloading activities.