

Retaining Clip for Dillon 1050 / 1100 Cartridge Bin - Rear Sight Pusher for CZ Shadow 2, SP-01, CZ TS, 75/85 series

Precision Sight Adjustment—No Hammer, No Scratches Take the stress out of drifting your sights. This heavy-duty Sight Pusher clamps directly onto your pistol's slide, completely eliminating the need for a crude hammer, punch, or vise when adjusting your fixed rear sight.



Attributes

- Name: Rear Sight Pusher for CZ Shadow 2, SP-01, CZ TS, 75/85 series
- Manufacturer: ARMANOV
- Product no.: EU2018658
- Mfr. No.: RSPCZ
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Retaining Clip for Dillon 1050 / 1100 Cartridge Bin Rear Sight Pusher Safety Instructions](#)

Retaining Clip for Dillon 1050 / 1100 Cartridge Bin Rear Sight Pusher Safety Instructions

Introduction

Thank you for choosing the Retaining Clip for Dillon 1050 / 1100 Cartridge Bin Rear Sight Pusher. This product is designed to assist in the precise adjustment of rear sights on various CZ firearm models, including the Shadow 2, SP01, CZ TS, and the 75/85 series. To ensure your safety and the proper use of this product, please read these safety instructions carefully.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always handle firearms with care and follow all safety protocols.
- Keep this product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before using the sight pusher.
- Use the sight pusher in a safe and controlled environment to prevent accidents.
- Avoid applying excessive force when adjusting the sights to prevent damage.
- Wear safety glasses to protect your eyes from potential debris during use.
- Do not modify or alter the sight pusher in any way.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is completely unloaded.
- Gather all necessary tools and ensure you have a clean workspace.

2. Installation of the Sight Pusher

- Align the sight pusher with the rear sight of your firearm.
- Clamp the sight pusher securely onto the slide of the pistol.
- Ensure that the pusher is firmly in place before proceeding.

3. Adjusting the Rear Sight

- Gradually apply pressure to the sight pusher to drift the rear sight.
- Monitor the sight's movement closely to achieve the desired adjustment.
- Once the adjustment is complete, carefully release the pressure and remove the sight pusher.

4. PostUse Inspection

- Inspect the sight and the sight pusher for any signs of damage.
- Store the sight pusher in a safe and dry place away from children.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the use of this product, please refer to the manufacturer's contact information provided with your purchase.