

Shellplate with Case Retainer Spring for Dillon XL650/XL750 (#3 - 13345)

Next-Level Progressive Reloading: Premium Upgrade Shellplate Transform the cycling of your Dillon press with a shellplate engineered to eliminate the most common frustrations of progressive reloading. Designed with advanced mechanical enhancements, this upgrade delivers flawless case control and an incredibly smooth operation.



Attributes

- Name: Shellplate with Case Retainer Spring for Dillon XL650/XL750 (#3 - 13345)
- Manufacturer: ARMANOV
- Product no.: EU2018666
- Mfr. No.: SCRS650-3
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Shellplate with Case Retainer Spring for Dillon XL650/XL750](#)

Safety Instruction Guide for Shellplate with Case Retainer Spring for Dillon XL650/XL750

Introduction

Thank you for choosing the Shellplate with Case Retainer Spring for Dillon XL650/XL750. This product is designed to enhance your reloading experience by providing improved case control and smooth operation. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the shellplate is compatible with the Dillon XL650/XL750 before installation.
- Always follow the manufacturer's instructions for your Dillon press.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the shellplate and case retainer spring for signs of wear or damage.
- Report any unsafe product incidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the shellplate only for its intended purpose.
- Avoid using the shellplate if it shows any signs of damage or wear.
- Ensure that all components are properly installed before operating the Dillon press.
- Do not attempt to modify or alter the shellplate in any way.
- Wear appropriate safety gear, such as safety glasses, while using the Dillon press.
- Do not exceed the recommended load limits for your Dillon press.

Instructions for Installation and Usage

1. Installation

- Ensure your Dillon XL650/XL750 is unplugged and not in operation.
- Remove the existing shellplate from the press by following the manufacturer's guidelines.
- Align the new shellplate with the mounting points on the Dillon press.
- Securely fasten the shellplate in place, ensuring it is properly seated.
- Install the case retainer spring according to the manufacturer's instructions.

2. Usage

- After installation, doublecheck that all components are secure.
- Load cases into the shellplate according to the Dillon press's guidelines.
- Operate the Dillon press in a wellventilated area.
- Monitor the operation for any unusual noises or movements.
- If any issues arise, stop using the press immediately and inspect for problems.

Disposal Instructions

- Dispose of the shellplate and case retainer spring in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local recycling centers for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the Shellplate with Case Retainer Spring for Dillon XL650/XL750, please refer to the manufacturer's customer support resources. Ensure you have your product details available for assistance.

Thank you for prioritizing safety while using your reloading equipment. Enjoy your enhanced reloading experience with the Shellplate with Case Retainer Spring for Dillon XL650/XL750!