

Shellplate with Case Retainer Spring for Dillon XL650/XL750 (#5 - 13509)

Next-Level Progressive Reloading: Premium Upgrade Shellplate Transform the cycling of your Dillon press with a shellplate engineered to eliminate the most common frustrations of progressive reloading. Designed with advanced mechanical enhancements, this upgrade delivers flawless case control and an incredibly smooth operation.



Attributes

- Name: Shellplate with Case Retainer Spring for Dillon XL650/XL750 (#5 - 13509)
- Manufacturer: ARMANOV
- Product no.: EU2018667
- Mfr. No.: SCRS650-5
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Shellplate with Case Retainer Spring for Dillon XL650/XL750](#)

Safety Instruction Guide for Shellplate with Case Retainer Spring for Dillon XL650/XL750

Introduction

Thank you for choosing the Shellplate with Case Retainer Spring for Dillon XL650/XL750. This product is designed to enhance your reloading experience by providing superior case control and smooth operation. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always follow the manufacturer's instructions when using this product.
- Ensure that the product is compatible with your Dillon XL650/XL750 press.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage before use.
- If you notice any defects or issues, discontinue use immediately and seek assistance.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Hazard Identification:** Improper use of the shellplate can lead to malfunction or injury.
- **Avoid Overloading:** Do not exceed the recommended capacity of your Dillon press.
- **Protective Gear:** Wear safety glasses and appropriate protective gear while operating the press.
- **Work Area:** Maintain a clean and organized workspace to prevent accidents.
- **Follow Instructions:** Adhere strictly to the installation and usage instructions provided in this guide.

Instructions for Installation and Usage

1. Installation:

- Ensure your Dillon XL650/XL750 press is turned off and unplugged.
- Remove the existing shellplate from the press.
- Align the new shellplate with the mounting points on the press.
- Secure the shellplate in place according to the manufacturer's instructions.
- Attach the case retainer spring, ensuring it is properly positioned and secured.

2. Usage:

- Before starting the reloading process, doublecheck that all components are securely installed.
- Load cases into the shellplate as per the Dillon press guidelines.
- Operate the press smoothly and steadily, avoiding sudden movements.
- Monitor the operation for any unusual sounds or resistance, and stop immediately if detected.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste management regulations.
- If the product becomes damaged or worn beyond safe use, dispose of it responsibly.
- Do not throw the product in regular household waste. Instead, check for recycling options in your area.

Contact Information for Further Support

For any questions or concerns regarding the usage or safety of the Shellplate with Case Retainer Spring for

Dillon XL650/XL750, please consult the manufacturer's official website or customer service resources.

By following these safety instructions, you can ensure a safe and efficient reloading experience. Thank you for your attention to these important guidelines.