

# Shellplate with Case Retainer Spring for Dillon XL650/XL750 - Slide Return Spring for Dillon XL750 / RL550 - 13928

Lock In Factory Tolerances: Dillon Replacement Component Ensure the smooth, reliable, and ultra-precise operation of your Dillon Precision reloading press with this premium-grade replacement part. Machined to strictly adhere to the exact blueprints and engineering specifications of the original equipment, this spare part guarantees a flawless drop-in fit and uncompromised mechanical synergy.



## Attributes

- Name: Slide Return Spring for Dillon XL750 / RL550 - 13928
- Manufacturer: ARMANOV
- Product no.: EU2018670
- Mfr. No.: SLRETSPR750
- Colour: Silver
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

# Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Shellplate with Case Retainer Spring for Dillon XL650/XL750](#)

# Safety Instruction Guide for Shellplate with Case Retainer Spring for Dillon XL650/XL750

## Introduction

Thank you for choosing the Shellplate with Case Retainer Spring for Dillon XL650/XL750. This product is designed to ensure the smooth and reliable operation of your Dillon Precision reloading press. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure the product is compatible with your Dillon XL650/XL750 or RL550 before installation.
- Always follow the manufacturer's instructions when using your reloading press.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not use the Shellplate with Case Retainer Spring if it appears damaged or worn.
- Avoid using excessive force during installation as this may lead to malfunction.
- Ensure that the reloading press is turned off and unplugged when installing or replacing parts.
- Use safety goggles and gloves when working with reloading equipment to protect against possible injuries.
- Be aware of your surroundings and ensure that your working area is clean and free from distractions.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools and ensure you have a clean workspace.
- Make sure the reloading press is turned off and unplugged.

### 2. Installation Steps

- Remove the existing shellplate and case retainer spring from your Dillon XL650/XL750.
- Carefully align the new Shellplate with Case Retainer Spring with the mounting points.
- Gently press the spring into place, ensuring it fits snugly without excessive force.
- Reattach the shellplate, ensuring it is secured properly.

### 3. Usage

- Once installed, check the operation of the reloading press to ensure it functions smoothly.
- Monitor the performance during use and be alert to any unusual sounds or behaviors.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste unless specified by local guidelines.
- Consider recycling options if available.

## **Contact Information for Further Support**

For any questions or concerns regarding the Shellplate with Case Retainer Spring, please refer to the manufacturer's contact information provided with the product packaging or visit their official website for assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy your reloading experience!