

Small Pin for Armanov Swage PRO | Dillon XL650 / XL750 - Single Stage Conversion Kit for Dillon XL650/XL750

Quick Die Change with Self-Centering Float Swap dies instantly without losing your settings. Armanov lock rings secure the die firmly in place using an innovative indexing spring plunger—simply lift the plunger tab to release and change the die in seconds. The engineered "floating" action allows the die to self-center perfectly over each cartridge during the stroke, eliminating axial play to deliver superior ammunition concentricity and tighter groups.



Attributes

- Name: Single Stage Conversion Kit for Dillon XL650/XL750
- Manufacturer: ARMANOV
- Product no.: EU2018682
- Mfr. No.: SSCKXL650
- Colour: Blue
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Small Pin for Armanov Swage PRO | Dillon XL650 / XL750 Single Stage Conversion Kit](#)

Safety Instruction Guide for Small Pin for Armanov Swage PRO | Dillon XL650 / XL750 Single Stage Conversion Kit

Introduction

Thank you for choosing the Small Pin for Armanov Swage PRO and Dillon XL650/XL750 Single Stage Conversion Kit. This guide provides important safety instructions and information to ensure safe and effective use of the product. Please read this manual carefully before use.

General Safety Guidelines

- Always follow the manufacturer's instructions and guidelines for safe use.
- Ensure that the product is suitable for your specific model of Dillon XL650 or XL750.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear and damage before each use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the die is securely locked in place using the Armanov lock rings to prevent accidental movement during operation.
- Do not attempt to change the die while the machine is in operation.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses, when using the product.
- Keep hands and other body parts clear of moving parts during operation.
- Follow all local regulations regarding the use of reloading equipment.

Instructions for Installation and Usage

1. Installation

- Ensure the machine is powered off and unplugged before installation.
- Remove the existing die from the machine by lifting the plunger tab on the Armanov lock ring.
- Insert the new die into the machine, ensuring it is properly aligned.
- Secure the die in place by pressing down the plunger tab until it clicks into position.
- Confirm that the die is firmly locked before powering on the machine.

2. Usage

- Power on the Dillon XL650 or XL750 machine.
- Set the desired settings for your specific cartridge.
- Begin the reloading process, ensuring that the die is properly selfcentering over each cartridge.
- Monitor the operation closely for any signs of malfunction or irregularity.

Disposal Instructions

- Dispose of the product according to local regulations for electronic waste and metal components.
- Do not dispose of the product in regular household waste.
- Consider recycling options for the metal components of the product.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of this product, please refer to the manufacturer's contact information provided with your purchase. Always ensure that you have the latest information on product recalls and safety notices.

By following these safety instructions, you can ensure a safe and effective experience while using the Small Pin for Armanov Swage PRO and Dillon XL650/XL750 Single Stage Conversion Kit. Thank you for your attention to safety.