

Stainless Station One Locator for Dillon XL650/XL750 (#3 - 13614)

Bulletproof Reliability: Stainless Steel Station One Locator for Dillon XL650 / XL750 Stop replacing worn-out factory parts and lock in permanent precision. The initial staging area of your Dillon progressive press handles the heaviest mechanical workflow. The Armanov Station One Locator, precision-crafted from industrial-grade stainless steel, is engineered to replace vulnerable stock components with a heavy-duty, wear-resistant solution that never slows down.



Attributes

- Name: Stainless Station One Locator for Dillon XL650/XL750 (#3 - 13614)
- Manufacturer: ARMANOV
- Product no.: EU2018694
- Mfr. No.: ST1LSS-3
- Colour: Silver
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Stainless Station One Locator Safety Instruction Guide](#)

Stainless Station One Locator Safety Instruction Guide

Introduction

Thank you for choosing the Stainless Station One Locator for Dillon XL650/XL750. This product is designed for durability and precision, ensuring reliable performance in your reloading process. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE) when handling or operating the Dillon XL650/XL750.
- Keep the work area clean and free from distractions to avoid accidents.
- Regularly inspect the product for wear or damage before each use.
- Follow all manufacturer instructions and safety guidelines provided with your Dillon progressive press.
- Be aware of your surroundings and ensure that bystanders are at a safe distance when operating the press.

Specific Safety Precautions for Use

- **Potential Hazards:**

- Sharp edges: The stainless steel material may have sharp edges. Handle with care.
- Heavy components: The product is designed to withstand heavy mechanical workflow. Use proper lifting techniques to avoid injury.
- Moving parts: Ensure all components are properly secured before operation to prevent accidents.

- **Avoiding Hazards:**

- Always use gloves when handling the Station One Locator to prevent cuts.
- Ensure that the Dillon press is turned off and unplugged during installation or maintenance.
- Do not exceed the recommended load limits of the Dillon press to avoid malfunction or damage.

- **Agespecific Warnings:**

- This product is not intended for use by children. Keep out of reach of minors.

Instructions for Installation and Usage

- **Installation:**

1. Ensure the Dillon XL650/XL750 is turned off and unplugged.
2. Remove any existing parts that the Station One Locator will replace.
3. Align the Station One Locator with the mounting points on the Dillon press.
4. Secure the Locator using the provided fasteners, ensuring a tight fit.
5. Doublecheck all connections before powering on the Dillon press.

- **Usage:**

- Begin your reloading process by following the standard operating procedures for the Dillon XL650/XL750.

- Monitor the performance of the Station One Locator during operation to ensure it is functioning correctly.
- If any unusual noises or movements occur, stop the operation immediately and inspect the product.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for proper disposal methods for industrial materials.

Contact Information for Further Support

For safety inquiries, please refer to the manufacturer's website or contact your local distributor for assistance. Ensure you have the product model number and any other relevant information ready for a prompt response.

By following these safety instructions, you can help ensure a safe and effective experience with your Stainless Station One Locator for Dillon XL650/XL750. Thank you for prioritizing safety in your reloading activities.