

Stainless Station One Locator for Dillon XL650/XL750 - Station 2 Locator Spring for Dillon XL750 - 62331

Engineered to Outperform: Premium Dillon Spare Part Don't settle for basic functionality when you can have enhanced reliability. This high-quality replacement part is meticulously engineered to ensure the ultra-smooth and dependable operation of your Dillon Precision reloading press. Designed not just to replace, but to strictly optimize your setup, it guarantees a seamless mechanical workflow round after round.



Attributes

- Name: Station 2 Locator Spring for Dillon XL750 - 62331
- Manufacturer: ARMANOV
- Product no.: EU2018709
- Mfr. No.: STLOCSPR750
- Colour: Silver
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Stainless Station One Locator Safety Instructions](#)

Stainless Station One Locator Safety Instructions

Introduction

Thank you for choosing the Stainless Station One Locator for Dillon XL650/XL750. This highquality replacement part is designed to enhance the performance and reliability of your Dillon Precision reloading press. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

To ensure safe use of the Stainless Station One Locator, please adhere to the following guidelines:

- Always read the product instructions thoroughly before use.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for signs of wear or damage.
- Do not use the product if it shows any signs of damage or malfunction.
- Follow all safety guidelines provided by Dillon Precision regarding the operation of your reloading press.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

To prevent accidents and ensure safe operation, please observe the following precautions:

- Ensure that the reloading press is turned off and unplugged before installation.
- Use only compatible Dillon components to avoid malfunction.
- Wear appropriate safety gear, such as safety glasses and gloves, when operating the reloading press.
- Keep hands and other body parts clear of moving parts during operation.
- Never exceed the recommended load capacity for your reloading press.
- Do not modify or alter the product in any way.

Instructions for Installation and Usage

Follow these steps for the proper installation and use of the Stainless Station One Locator:

1. Installation:

- Turn off and unplug your Dillon XL650/XL750 reloading press.
- Remove any existing locator from Station 2.
- Align the Stainless Station One Locator with the mounting holes in Station 2.
- Securely fasten the locator using the provided screws.
- Ensure that the locator is properly seated and does not wobble.

2. Usage:

- Reconnect the power supply to your reloading press.
- Follow the Dillon Precision operating procedures for your reloading press.
- Monitor the operation of the locator during use to ensure it is functioning correctly.

Disposal Instructions

When disposing of the Stainless Station One Locator, please follow these guidelines:

- Do not dispose of the product in household waste.

- Check local regulations for proper disposal methods for metal and plastic components.
- If the product is damaged beyond repair, consider recycling the materials if possible.

Contact Information for Further Support

For any questions or concerns regarding the Stainless Station One Locator, please refer to the manufacturer's contact information found in the product packaging or on the official website. Ensure you provide the product name and model number when seeking assistance.

Thank you for prioritizing safety while using the Stainless Station One Locator. Enjoy the enhanced performance and reliability it brings to your Dillon reloading press!