

Unicount Round Counter - Universal Rear Sight Pusher | w/o Inserts

Precision Without Impact: Universal Rear Sight Pusher (URSP) Take the guesswork and frustration out of drifting pistol sights. The Universal Rear Sight Pusher (URSP) is a premium, heavy-duty tool engineered to deliver micro-precise windage (left/right) adjustments on fixed dovetail rear sights—completely eliminating the need for destructive hammers, drifts, or heavy workshop presses. CNC-Milled Strength with Mar-Free Slide Protection Machined from a solid block of aircraft-grade CNC-milled aluminium, the URSP achieves the perfect balance between featherlight portability and immense structural strength. To protect your firearm's finish, the tool features specialized, high-density nylon inserts that clamp your slide securely with zero risk of scratching or marking. Operation is effortless: just select the correct insert, align your slide, and lock it down by tightening the ergonomic butterfly bolt.



Attributes

- Name: Universal Rear Sight Pusher | w/o Inserts
- Manufacturer: ARMANOV
- Product no.: EU2018715
- Mfr. No.: UNIRSP
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Armanov Unicount Round Counter Universal Rear Sight Pusher](#)

Safety Instruction Guide for Armanov Unicount Round Counter Universal Rear Sight Pusher

Introduction

Thank you for choosing the Armanov Unicount Round Counter Universal Rear Sight Pusher (URSP). This tool is designed to assist in the precise adjustment of fixed dovetail rear sights on pistols. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always use the tool in accordance with the manufacturer's instructions.
- Ensure the firearm is unloaded before using the URSP.
- Keep the tool out of reach of children and vulnerable individuals.
- Inspect the tool for any damage before use. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls by checking the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use only the specified inserts provided with the URSP to avoid damage to your firearm.
- Ensure that the slide is securely clamped before making adjustments to prevent slippage.
- Avoid applying excessive force when adjusting the sight to prevent damage to the tool or firearm.
- Do not use the URSP for any purpose other than its intended use.
- Wear safety glasses to protect your eyes while using the tool.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and components.

2. Selecting the Insert:

- Choose the appropriate highdensity nylon insert that fits your firearm's slide.
- Ensure the insert is free from debris or damage.

3. Aligning the Slide:

- Place the slide into the URSP, ensuring it is aligned with the insert.
- Make sure the slide is seated properly and securely.

4. Clamping the Slide:

- Tighten the ergonomic butterfly bolt to clamp the slide in place.
- Ensure that the slide is held securely without excessive force.

5. Adjusting the Sight:

- Carefully make the necessary adjustments to the rear sight using the URSP.
- Monitor the adjustment closely to avoid overadjusting.

6. Finalizing:

- Once adjustments are complete, carefully release the clamping mechanism.
- Remove the slide from the URSP and check the adjustments before reassembling the firearm.

Disposal Instructions

- Dispose of the tool in accordance with local regulations.
- Do not dispose of the tool in household waste.
- Consider recycling options for metal and plastic components where available.

Contact Information for Further Support

For any inquiries or support regarding the Armanov Unicount Round Counter Universal Rear Sight Pusher, please refer to the manufacturer's contact details provided with your product packaging.