

Inserts for Universal Rear Sight Pusher - Primer Chute For Spent Primers with Holder and Bottle for Dillon XL750

[Home](#)

The Ultimate Catch: Large Spent Primer Container System Upgrade your press to a truly industrial-grade disposal setup. This complete system completely seals the spent primer ejection port, creating a 100% enclosed, dust-free pathway. Instead of relying on small, overflowing cups, this kit routes every spent primer and nasty carbon residue safely down into a high-capacity storage bottle. Heavy-Duty Strong Mount Integration No loose hoses dangling under your bench. This premium solution features a rugged, custom-engineered bracket designed to mount the plastic collection bottle directly to your press's Strong Mount. Debris is routed flawlessly through high-visibility, clear PVC tubing straight into the reinforced container, keeping your entire setup rock-solid, compact, and completely contained.



Attributes

- Name: [Primer Chute For Spent Primers with Holder and Bottle for Dillon XL750](#)
- Manufacturer: [ARMANOV](#)
- Product no.: EU2018723
- Mfr. No.: XL750-TUBHPB
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Inserts for Universal Rear Sight Pusher Primer Chute](#)
- [About Us](#)

Safety Instruction Guide for Inserts for Universal Rear Sight Pusher Primer Chute

Introduction

Thank you for choosing the Inserts for Universal Rear Sight Pusher Primer Chute for Spent Primers with Holder and Bottle for Dillon XL750. This product is designed to provide a safe and efficient solution for handling spent primers. Please read this safety instruction guide carefully to ensure proper use and to minimize any risks associated with the product.

General Safety Guidelines

To ensure safe use of the product, please follow these general safety guidelines:

- Always read the instructions before using the product.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of wear or damage.
- Do not use the product if it appears to be damaged or malfunctioning.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

When using the Inserts for Universal Rear Sight Pusher Primer Chute, please observe the following safety precautions:

- Use the product only for its intended purpose.
- Ensure that the collection bottle is securely attached before use.
- Avoid overfilling the storage bottle to prevent spills.
- Do not attempt to disassemble or modify the product.
- Wear safety glasses to protect your eyes from any debris or small particles.
- Use gloves if handling spent primers to avoid direct contact with any residues.

Instructions for Installation and Usage

Follow these steps for the proper installation and usage of the product:

Installation

1. **Prepare Your Workspace:** Ensure your work area is clean and free from distractions.
2. **Attach the Bracket:**
 - Locate the Strong Mount on your Dillon XL750 press.
 - Use the provided screws to securely attach the customengineered bracket to the Strong Mount.
3. **Connect the Collection Bottle:**
 - Align the plastic collection bottle with the bracket.
 - Ensure it is firmly secured to prevent any movement during use.
4. **Install the PVC Tubing:**
 - Connect the clear PVC tubing to the ejection port of the press.
 - Route the tubing to the collection bottle, ensuring it is free from kinks or obstructions.

Usage

1. **Load the Press:** Follow your usual procedure for loading the press with primers.
2. **Eject Spent Primers:** As you operate the press, the spent primers will be directed through the tubing

into the collection bottle.

3. **Monitor the Collection Bottle:** Regularly check the bottle to ensure it is not overfilled.
4. **Seal the System:** Ensure all connections are tight to maintain a dustfree environment.

Disposal Instructions

Proper disposal of spent primers and any associated materials is crucial. Follow these disposal instructions:

- **Empty the Collection Bottle:** When the bottle is full, carefully remove it from the bracket.
- **Dispose of Spent Primers:** Follow local regulations for the disposal of spent primers. Do not throw them in regular trash.
- **Clean the System:** After disposal, clean the tubing and bracket with a damp cloth to remove any residues.
- **Store Safely:** Store the product in a cool, dry place away from direct sunlight and moisture.

Contact Information for Further Support

For any inquiries regarding safety, usage, or installation, please refer to the product's packaging or visit the manufacturer's website for additional support.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Inserts for Universal Rear Sight Pusher Primer Chute. Thank you for prioritizing safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk