

## BROWNING X-BOLT GEN 2 **\*\*3lb\*\***

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

The Timney Triggers replacement trigger is the ultimate upgrade for hunters and precision shooters looking to unlock the full performance potential of their Browning X-Bolt rifle. Designed to eliminate the creep and heavier pull often found in factory triggers, this single-stage trigger delivers a crisp, repeatable, and glass-like break that helps shrink group sizes and build shooting confidence.



**Key Features and Highlights** Crisp Single-Stage Break: Offers a clean, dry release with zero creep or overtravel for maximum precision.

Factory Preset: Calibrated at the factory to a smooth 3 lbs pull weight.

Fully Adjustable: Allows user adjustment within a range of 2 lbs to 4 lbs to suit your personal preference.

Easy Drop-In Installation: Engineered to work seamlessly with the Browning X-Bolt's original safety button and safety bar. No gunsmithing required.

Hand-Assembled and Tested: Every unit is hand-built, calibrated, and shot-tested at Timney's facility in the USA.

### Attributes

- Name: [BROWNING X-BOLT GEN 2 \*\*\\*\\*3lb\\*\\*\*\*](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2018765
- Mfr. No.: 604
- Weapon type: Browning
- Delivery weight: 0.09kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 191mm
- UPC: 081950604005

# Table of Contents

- [Startpage](#)
- [BROWNING XBOLT GEN 2 3lb Trigger Safety Instruction Guide](#)
- [About Us](#)

# BROWNING XBOLT GEN 2 3lb Trigger Safety Instruction Guide

## Introduction

Thank you for choosing the Timney Triggers replacement trigger for your Browning XBolt rifle. This guide provides essential safety information and instructions to ensure the safe and effective use of your new trigger. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it is not.
- Keep your firearm pointed in a safe direction at all times.
- Ensure that the trigger is installed correctly and securely before using the firearm.
- Regularly inspect your trigger and firearm for any signs of wear or damage.
- Store your firearm in a secure location, out of reach of children and unauthorized users.
- Familiarize yourself with local laws and regulations regarding firearms and their modifications.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before starting the installation process.
- Do not attempt to modify the trigger or firearm beyond the manufacturer's specifications.
- Always wear appropriate eye and ear protection when using your firearm.
- Avoid using the trigger in adverse weather conditions that may affect its performance.
- Be aware of your surroundings and ensure that you have a clear target and backdrop when shooting.
- If you experience any issues with the trigger during use, stop using the firearm immediately and seek professional assistance.

## Instructions for Installation and Usage

### Installation Steps

1. **Prepare Your Workspace:** Ensure that you are working in a clean, welllit area free from distractions.
2. **Unload Your Firearm:** Confirm that your Browning XBolt rifle is completely unloaded.
3. **Remove the Factory Trigger:**
  - Follow the manufacturer's instructions for disassembling the trigger mechanism.
  - Keep track of all parts and screws during disassembly.
4. **Install the Timney Trigger:**
  - Carefully place the Timney trigger into the trigger housing.
  - Align it with the original safety button and safety bar.
  - Ensure a snug fit without forcing any components.
5. **Secure the Trigger:**
  - Reinsert and tighten all screws to secure the trigger in place.
  - Doublecheck that everything is properly aligned and secured.
6. **Test the Trigger:**
  - Before using the firearm, perform a function test to ensure the trigger operates correctly.
  - Check for a crisp, repeatable break without any creep or overtravel.

### Usage Instructions

- Once installed, practice safe firearm handling and follow all safety guidelines.
- Adjust the trigger pull weight as needed, within the range of 2 lbs to 4 lbs, to suit your preference.
- Always perform a function test after any adjustment.

## **Disposal Instructions**

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If you need to dispose of the trigger or any firearm components, contact your local waste management facility for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the Timney Triggers replacement trigger or its installation, please refer to the manufacturer's website or contact their customer support team.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your Browning XBolt rifle and Timney Triggers replacement trigger. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)